

**Product Information** 

ISO Class 4 - 5

Cleanroom Class 10 – 100 EU Grade B/C/D

# SatPax® 1200-R

Pre-wetted Cleanroom Laundered 100% Polyester Knit Wiper

SatPax® 1200-R combines SuperPolx® 1200 cleanroom laundered wipers composed of 100% continuous filament polyester knit fabric with a high concentration of 70% IPA and 30% DI water. This pre-wetted format provides a cost-effective and easy-to-use solution versus traditional bulk handling of solvents, maintenance of squirt bottles and inconsistent wetting and cleaning associated with wetting a dry wiper. A high solution saturation level of 60% makes SatPax® 1200-R ideal for regulated applications or applications requiring higher solution levels delivered to the surface.



#### **Key Attributes**

- 100% continuous filament polyester knit
- Laundered and packaged in Berkshire's ISO Class 4 cleanroom
- Pre-wetted with consistent 70% IPA/ 30% DI Water to a high saturation level of 60%
- Re-sealable solvent resistant packaging

#### **Benefits**

- Very low particles, fibres, ions and extractables
- High abrasion resistance
- Reduces alcohol usage and preparation / handling costs
- Reduces VOC emissions
- Increases cleaning efficiency
- · Increases cleaning protocol consistency

## Environmental

Registered under REACH

## Other Class 4 and above Pre-wetted wipers

SatPax® 1200

## Applications

- Designed for use in ISO Class 4 and higher cleanroom environments
- Designed for use in wet cleaning of critical surfaces where control of flammable solvents and flammable solvent concentrations is required
- Final cleaning of surfaces or products prior to manufacturing or packaging
- . High saturation level is ideal for removing cleaning and disinfecting residues in regulated environments

#### **Alcohol Mixtures**

Alcohol / DI Water mixtures can be varied to fit the customer requirements. Typical mixtures are 70/30 and 9/91 IPA/DI Water.

#### **Saturation Levels**

The amount of solution contained in each wiper can be varied according to customer requirements. Higher saturation levels apply more solution to the surface during cleaning.

### **Sterile Validated Option**

For aseptic processing areas, the same wiper material can be provided in a gamma irradiated validated sterile to a 10<sup>-6</sup> sterility assurance level.

## www.berkshire.uk.com

Contact: Tel + 44 1953 562800 enguiries@berkshire.uk.com

America	Tel 1 413 528 2602	info@berkshire.com
Europe	Tel + 44 1953 562800	enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	enquiries@berkshire.com.sg
Japan	Tel 81 3 4530 9883	master@berkshire.co.jp



## **Technical Data (In Dry State)**

Attribute		Units	Value	Test Method
Basis Weight		g/m²	151	TAPPI T-410
Caliper		μm	521	TAPPI T-411
Fibres	<u>≥</u> 100µm	fibres/cm²	0.35	IEST-RP-CC004.4 Sec 7.1.3 /Sec 7.2.2 modified
Particles	<u>&gt;</u> 0.5μm	x10 <sup>3</sup> /cm <sup>2</sup>	0.22	IEST-RP-CC004.4 Sec 7.1.3 /Sec 7.2.1 modified
Sorbency	Capacity	mL/m²	509	IEST-RP-CC004.4 Sec 9.1 /Sec 9.2 modified
	Efficiency	mL/g	3.4	
	Rate	seconds	1	
Non-Volatile Residue	DI Water	g/m²	0.0045	IEST-RP-CC004.4 Sec 8.1.2
	IPA	g/m²	0.0092	
Ions	Na <sup>+</sup>	ppm	0.17	IEST-RP-CC004.4 Sec 8.2.2
	K <sup>+</sup>	ppm	0.010	
	Ca <sup>++</sup>	ppm	0.053	
	Mg <sup>++</sup>	ppm	0.011	
	CI <sup>-</sup>	ppm	0.39	

#### Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as
  product specifications.
- Due to differences in test methods applied and equipment utilised by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

## **Order Information:**

Product	Number	Size	Shts/pk	Pks/cs	IPA/DI	Saturation	VOC % by Weight	Style
SatPax® 1200-R	SPX120R.001.12	9x9" (23x23cm)	30	12	70/30	60%	40%	J-fold

## Other Berkshire products



Wipers



**Glove Liners** 



**Mop Systems** 



**Documentation Systems** 



Face Masks



Swabs